



PTC30N

Professional PTZ Camera with NDI



Professional PTZ Camera

Recording lectures and events from large seminar halls and auditoria has never been easier. The powerful lens and cutting edge 30x zoom make the PTC30N one of the most popular professional cameras in the industry. Directly stream your event from this camera once it is connected to your network.

Professional recording and streaming of

Events, Lectures & Seminars



Live Stream

Live stream directly from the camera without any hassles

Powerful Zoom

Designed for large seminar halls and auditoria with industry-leading 30x zoom















| Camera | | |
|-----------|----------------------|--|
| | Image Sensor | 1/2.8" CMOS, 2.14MP |
| | Focal Lens | f=4.3mm - 129.0mm |
| | Iris | F1.6 - F4.7 |
| - | Zoom | Optical: 30X, Digital: 12X |
| | FOV | 63.7° |
| | Focus System | Auto, Manual, PTZ Trigger AF, One Push |
| | Exposure Control | Auto, Manual, Shutter Priority, Iris Priority, Bright Priority |
| | Shutter Speed | 1/1 ~ 1/10,000s |
| | White Balance | Auto, Manual, Indoor, Outdoor |
| | S/N Ratio | 50dB |
| | DNR | 2D/3D |
| | WDR | Yes |
| | BLC | Yes |
| PTZ | | |
| | Pan Angle/ Speed | -170° ~ +170°, 0.1° ~ 120°/S |
| | Tilt Angle/ Speed | -30° ~ +90°, 0.1° ~ 90°/S |
| | Presets | 256 |
| | OSD | Yes |
| | Image Flip | Yes |
| Network | | |
| | Resolution | Max support 1920×1080@60fps |
| | Image Compression | H.265/H.264 |
| | Audio Compression | AAC |
| | Protocols | ONVIF/ RTSP/ RTMP/ HTTP/ TCP/ UDP |
| | Dual Stream | Support |
| Interface | | |
| | Video Output | 1×3G-SDI, 1×HDMI |
| - | Audio | 1×LINE IN, 1×LINE OUT |
| - | Network Interface | RJ45 (10/100M) interface, NDI |
| | Control Interface | 1×RS-232 IN, 1×RS-232 OUT, 1×RS-485 / RS-422 |
| | IR Throughout Output | 1×IR throughout output |
| General | | |
| | Control Protocol | VISCA (Suppport daisy chain), PELCO-P, PELCO-D |
| | Power | DC12V |
| | Working Temperature | 0°C ~ +40°C |
| | Storage Temperature | -20°C ~ +60°C |
| | Dimensions L×W×H | 220mm×202mm×162mm |
| | Screw / Mounting | Standard tripod screw hole / Wall & Ceiling |
| | Application | Free PTZ Management Software |
| | Weight | 1.7KG |
| | | |

*OPTIONAL ACCESSORIES - WALL MOUNT, CEILING MOUNT, PTZ JOYSTICK CONTROLLER, CABLES

L +91 452 4392222

sales@atnetindia.net

www.atnetindia.net