




UBT800 PRO

USB Wireless Speakerphone

Applications: Conference Rooms | Board Rooms



USB &
BLUETOOTH



RF
2.4GHz



SPEAKER
OUTPUT



4/8
MIC ARRAY



BUILT-IN
DSP



MAKE IN INDIA



UBT800 PRO

SPECIFICATION



Parameters	Bluetooth Version	USB Version	Wireless Version
Connectivity	USB 3.0, Bluetooth, Aux, RJ11 x 2	USB 3.0, Aux, RJ11 x 2	USB 3.0, RF, Aux, RJ11 x 2
Speaker Volume	Instantaneous Maximum 95 dB, 16 Level Adjustable		
Speaker Output	10W	8W	
Speaker Frequency Response	100Hz ~ 20KHz (1dB)		
SNR	> 80dB		
Bluetooth / RF Type	V5.0	-	RF Dongle
Bluetooth / RF Distance	10 Meter	-	15M
Mic	8 omnidirectional Microphones	4 omnidirectional Microphones	
Mic Frequency Response	100Hz ~ 22KHz		
Battery Capacity	2400 mAh	-	2400 mAh
Time of Endurance	8h	-	8h
Voice Technical Parameters	Auto Echo Cancellation (AEC) > 65dB Noise Reduction Bi-directional Noise compression (NC) < 25dB Automatic Direction Finding Technology of intelligent Microphone Automatic Gain Control (AGC)		
Power Supply	USB Bus Power Supply		
Working Temperature	0°C-50°C		
Environment Requirement	Temperature : 0 to 44 C Humidity : 20 to 85%		
Dimension	180mm x 180mm x 42mm (LxWxH)		
Weight	350g	320g	350g
Support OS	Windows 10, 8, 7 , Mac OS 10, 12 & Above		
Support Expansion Microphone	Yes, Upto 2 Expansion Microphones (Optional)		
Accessories	USB Cable, AUX Cable, User Manual		USB Cable, AUX Cable, User Manual, RF Dongle

+91 452 4392222

sales@atnetindia.net

www.atnetindia.net