



ASTRA PRO 4K


Recording & Streaming System

6 Channel Recorder

APPLICATIONS



Lecture Capturing



Surgery Recording




Training Room



Live Events



Houses of Worship





Smart Audio & Video Assurance




One-Touch Recording & Live Broadcast



Seamless Classroom & Meeting Management



**Flexible
Interaction**



**Dynamic
Multi-Screen Display**



**Full Host
Control**



**Optimized
for Collaboration**

ASTRA PRO 4K

SPECIFICATION



Parameters

System structure	Embedded Linux system
Display screen	15.6-inches, 1920*1080 resolution, G+G Structure PCAP capacitive touch, anti-glare, anti-fingerprint, anti-scratch
Video input	3 x HDMI IP(RTSP)
Video output	3 x HDMI OUT
Maximum input resolution	3840*2160
Audio input	1 x 3.5mm jack LINE IN, 1 x Phoenix terminal LINE IN, 2 x Phoenix terminal 48V MIC, 2 x HDMI IN
Audio output	2 x 3.5mm jack LINE OUT, 2 x HDMI OUT
Video encoding	H.264, H.265
Audio encoding	AAC
Video output format	MP4, TS
Video encoding frame rate	25~60fps
Video bit rate	256kbps~20480Kbps adjustable
Audio bit rate	32~192Kbps adjustable
Data storage	Built-in ≥1T storage, support USB export, support FTP upload
Network	5 x RJ45 network ports, 3 of which support POE
Serial port	1 x RS232 serial port
Software upgrade	Support online upgrade and local upgrade
Power parameters	AC 220V

+91 452 4392222

sales@atnetindia.net

www.atnetindia.net