



A&TTM



JSC Pro


PTZ Camera joystick controller



PAN / TILT /
ZOOM SPEED CONTROL



UPTO 255
PTZ CAMERAS



MULTIPLE CONTROL
INTERFACES



VISCA &
ONVIF



JOYSTICK

SPECIFICATION



Parameters	
White Balance	Button, Auto, Indoor, Outdoor, one Push, Manual
Exposure	Button, Auto, Manual, Shutter priority, Iris Priority
Shortcut Button	Bright Adjustment, Exposure Gain, BLC Focus Model Selection, OSD
Shortcut Knob	R/B gain, Iris, Pan/Tilt Speed (1-8 steps), Zoom speed (1-8 step)
Protocol	VISCA, SONY VISCA, ONVIF, PELCO, PELCO-D
Output	RS422, RS232, RS485, RJ45
Support PoE+	Yes
Joystick	4D joystick
Screen	TFT LCD 320x240
Power Consumption	<6W
Power	DC12V-2A
Work Temperature	10 ⁰ C ~ +55 ⁰ C / 14 ⁰ F ~ 131 ⁰ F
Work Humidity	20% ~ 80% (non - condetion)
Dimensions(L x W x H)	321.6mm x 179.2mm x 105.7mm
Weight	1.63kg

☎ +91 452 4392222

✉ sales@atnetindia.net

🌐 www.atnetindia.net