



SNAP U2

YOUR POCKET CAMERA REDESIGNED.

720p / 1080p / 4K



FOV 75° / 120°



BUILT IN
MIC



USB



USB Video Conference Camera

The Snap U2 is a portable full HD pocket camera that is compatible with all video conferencing applications. This easy to mount and use web camera comes with a powerful wide angle lens that covers all participants in a small meeting room or huddle room

Work from Home | Tele Consultation | Teach from Home

Add a touch of realism

Extraordinary Video Conferencing Experiences



Privacy Cover(Optional)

Prevent hackers from misusing your device
orunintentional switching onof the camera

Built-in Microphones (Optional)

Capture every spoken word so you deliver
crisp audio without background disturbances



SNAP U2

SPECIFICATION



Ordering Information		SNAP U2		
Web Camera	10102823SE	10102621SE	10102923SE	10102124SE
Camera				
Main IC		Supports MJPEG / H.264 / H.265 compression image processing chip, supporting various ISP processing algorithms		
Image Sensor	1/3 Inch 2.1 Megapixel sensor	1/3 Inch 2.1 Megapixel sensor	1/3 Inch 2.1 Megapixel sensor	1/3 Inch 4 Megapixel sensor
Resolution	720p	1080p	1080p	2160p
Digital Zoom	NA	NA	NA	NA
Lens	f= 2.2mm	f= 2.2mm	f= 2.2mm	f= 2.2mm
FOV	75°	75°	75°	120°
Auto / Fixed Focus	Fixed Focus	Fixed Focus	Auto Focus	Auto Focus
Audio & Video				
Resolution	1280 x 720	1920 x 1080	1920 x 1080	3840 x 2160
Video image format	YUV2 / MJPEG / H.264			
Frame Rate	30 fps	30 fps	30 fps, 60 fps	30 fps
Image Processing	Support 3D denoising, Automatic white balance, Auto Exposure, Auto Compensation, Automatic gain and other image processing algorithms			
Mic	Yes (Optional)	Mic - Pickup upto 1M	Mic - Pickup upto 1.5M	Mic - Pickup upto 1.5M
Noise Suppression	Yes	Yes	Yes	Yes
Other Features	Manual Rotation	Privacy cover 360° Manual Rotation	Privacy cover 360° Manual Rotation	360° Manual Rotation
Mounting Options	Monitor Mount	Monitor Mount	Monitor Mount	Monitor Mount
Interface				
USB	USB 2.0 interface, 1.5M cable	USB 2.0 interface, 1.5M cable 2M cable (Optional)	USB 2.0 interface, 1.5M cable	USB 2.0 interface, 1.5M cable
Physical Parameters				
Weight (g)	92g	110g	110g	120g
Dimensions(L*W*H)	75mm x 105mm x 33mm			
Power Supply	Power by USB			
Operating Temperature	-10° ~ +40°C			
Working Humidity	10% – 90%			
Applications				
Operating System	Windows, Mac & Linux			
Enterprise	Video Conference & Live webcast			
Medicine	Tele-medicine & Tele-consultation			
Education	Online Classes & Lecture Capture			

+91 452 4392222

sales@atnetindia.net

www.atnetindia.net

EXPERIENCE NEXT