



# KLICK U1

World's Smallest PTZ Camera



## Small | Powerful | Reliable

The world's smallest PTZ camera has become popular for its high quality images & ease of use. One of the fastest selling cameras in its segment, the cost effective Klick U1 is being used for a wide range of applications

Huddle Room | Conference Room | Classroom

Small but powerful

# Camera for your Conference Room



## Powerful 10x Zoom

Capture every detail in the conference room with 10x zoom

## Multiple Presets

Control the area you want to focus on at the click of a button



MAKE IN INDIA



# KLICK U1

## SPECIFICATION



### Camera

|                  |                           |
|------------------|---------------------------|
| Image Sensor     | 1/2.8 Inch CMOS, 2.16MP   |
| Optical Zoom     | 10X                       |
| Digital Zoom     | 12X (Optional)            |
| Focal Length     | f=5.15-47.38mm            |
| Iris             | F2.38                     |
| Field of View    | 62°                       |
| Focus            | Auto, Manual, PTZ Trigger |
| Exposure Control | Auto, Manual              |
| White Balance    | Auto, Manual              |
| Gain             | Auto, Manual              |
| Shutter Speed    | 1/1 ~ 1/10,000s           |
| BLC              | Support                   |
| DNR              | 2D/3D                     |
| S/N Rate         | >55dB                     |

### PTZ

|            |                         |
|------------|-------------------------|
| Pan Angle  | -90°~+90°               |
| Tilt Angle | -30°~+90°               |
| Pan Speed  | 15°/S                   |
| Tilt Speed | 10°/S                   |
| Preset     | 32 (through controller) |

### Interface

|                   |                  |
|-------------------|------------------|
| Video Output      | USB 2.0 Type - A |
| Control Interface | USB              |
| Control           | Support          |

### USB

|                   |             |
|-------------------|-------------|
| Resolution        | 1080p 30    |
| Image Compression | H.264/MJPEG |
| UVC Protocol      | UVC 1.0     |
| UVC PTZ Control   | Support     |

### General

|                       |                                     |
|-----------------------|-------------------------------------|
| Power                 | DC12V                               |
| Power Consumption     | < 5W                                |
| Operating Temperature | 0°C ~ + 40°C                        |
| Storage Temperature   | -20°C ~ +60°C                       |
| Dimensions LxWxH      | 163mm×101mm×114mm                   |
| Weight                | 600g                                |
| OS                    | Win 8, 10, 11 & above, Mac & Ubuntu |

### Ordering Information

|                                |                           |
|--------------------------------|---------------------------|
| Klick U1                       | Product Code - 20101621SI |
| Klick U1 with 12X Digital Zoom | Product Code - 20101622SI |

\*OPTIONAL ACCESSORIES - WALL MOUNT, CEILING MOUNT, PTZ JOYSTICK CONTROLLER, CABLES