



A&T[™]



VB100

All-in-One Video Soundbar

Applications: Huddle room | Personal office



4K ULTRA HD



AUTO FRAMING/
SPEAKER TRACKING



MICROPHONE ARRAY



HI-FI SPEAKER



PLUG & PLAY



VB100

SPECIFICATION

Camera	
Sensor Size	1/2.8"
Pixel	8.29 MP
Focus	Auto Framing & Speaker Tracking
Zoom	5X Digital Zoom
Interface	USB
Image Resolution	3840x2160@30fps, 2560x1440@30fps 1920x1080@0fps
View Angle	D118.8° / H109.9° / V74.6°
Encoding	YUV, MJPG, H.264, H.265, NV12
Minimum Illumination	50Lux
DNR	2D & 3D
White Balance	Automatic
ePTZ	Support
Speaker	
Max Output	3W
Resistance Value	4hms
Built-in Speaker	1
Frequency Range	100Hz ~ 20KHz
Microphone	
Number of Microphones	4
Voice Pickup Range	5M
Directivity	Omni Directional
Signal to Noise Ratio	64.5dB
Sensitivity	-26dB
Maximum Sound Pressure Level	120dB
Frequency Response	20Hz~8KHz
Other features	
Cable Length	NA
UVC Protocol	Yes
LED Indicator	Yes
Remote Control	Yes
Operating Temperature	-10°~40°C
Power Supply	TYPE - C
Dimensions and Weight	211mm x 58mmx 50mm
System Support	Win7,8,10 / macOS 10.7 or above