



KLIK U1

USB PTZ CAMERA

Applications: Huddle room | Class room | Conference room



**FULL HD
1080 P**



**10X OPTICAL
ZOOM**



ENHANCED PTZ



PLUG & PLAY



KLICK U1

SPECIFICATION



Camera		
	Image Sensor	1/2.8" CMOS, 2.16MP
	Optical Zoom	10X
	Focal Length	f=5.15-47.38mm
	Iris	F2.38
	FOV	H 62.2°~7.08°, V 35°~4°, D 71°~8°
	Minimal Illumination	0.5 Lux@(F1.8, AGC ON)
	Focus	Auto, Manual, PTZ Trigger
	Exposure Control	Auto, Manual
	White Balance	Auto, Manual
	Gain	Auto, Manual
	Shutter Speed	1/1 ~ 1/10,000s
	BLC	Support
	DNR	2D/3D
	S/N Rate	>50dB
PTZ		
	Pan Angle	-90°~+90°
	Tilt Angle	-30°~+90°
	Pan Speed	15°/S
	Tilt Speed	10°/S
Interface		
	Video Output	USB 2.0 Type - A
	Control Interface	Ethernet
	Control	Support
USB		
	Max Image Size	1920×1080@30fps
	Image Compression	H.264/MJPEG
	UVC Protocol	UVC 1.0
	UVC PTZ Control	Support
General		
	Power	DC12V
	Power Consumption	5W
	Operating Temperature	0°C ~ + 40°C
	Storage Temperature	-20°C ~ +60°C
	Dimensions L×W×H	163mm×101mm×114mm
	Weight	0.6KG

*OPTIONAL ACCESSORIES - WALL MOUNT, CEILING MOUNT, CABLES

+91 452 4392222

✉ sales@atnetindia.net

www.atnetindia.net

EXPERIENCE NEXT